

1. 判定結果の表示は次のとおりです。

2. 感染好適条件(+)が出現した7日後前後に初発が予想されるので、圃場を見回り発病の有無を調べて下さい。

3. また、同じ観測地点または地域に好適条件が1～2週間の間隔で再び現れるときは、病勢のやや急激な進行が予想されます。

##

[illegible]

◆BLASTAMによる葉いもち感染好適条件出現の判定

[illegible]

◆BLASTAMによる葉いもち感染好適条件出現の判定

月/日	四国中央	新居浜	西条	今治	大三島	松山	久万	長浜	大洲	瀬戸	宇和	宇和島	近永	御荘	備考
8/1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/6	?	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/9	-	-	-	-	-	-	-	-	-	-	-	-	-	±	
8/10	-	±	-	-	±	±	±	-	±	-	-	-	-	-	
8/11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/12	±	-	±	±	-	-	-	-	-	-	-	-	-	-	
8/13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8/22															
8/23															
8/24															
8/25															
8/26															
8/27															
8/28															
8/29															
8/30															
8/31															
9/1															
9/2															
9/3															
9/4															
9/5															
9/6															
9/7															
9/8															
9/9															
9/10															
9/11															
9/12															
9/13															
9/14															
9/15															
9/16															
9/17															
9/18															
9/19															
9/20															